

# Natural Products To Combat Autoimmune Disorders

Raveesha Peeriga<sup>1</sup>, Aminabee Shaik<sup>1\*</sup>, VaseemUnnisa<sup>1</sup>, Baby Lakshmi Sravani Kollipara<sup>1</sup>, VRKS Varshit Kotha<sup>1</sup>

<sup>1</sup>V. V. Institute of Pharmaceutical Sciences, Seshadri Rao Knowledge Village, Gudlavalluru-521356, Krishna District, Andhra Pradesh.

[aminaammi786@gmail.com](mailto:aminaammi786@gmail.com)

DOI: 10.47750/pnr.2022.13.01.19

## Abstract

Autoimmune disorders represent a complex and often challenging group of diseases in which the immune system mistakenly targets the body's own cells and tissues. While conventional medical treatments are crucial in managing these conditions, there is growing interest in complementary and natural approaches to alleviate symptoms and improve overall well-being. This article provides an overview of various natural products, such as turmeric, ginger, omega-3 fatty acids, probiotics, and others, that have shown promise in supporting individuals with autoimmune disorders. We explore their potential benefits, the limitations of natural remedies, and the importance of consulting healthcare professionals to create a holistic and personalized treatment plan. While natural products can play a role in combatting autoimmune disorders, they should always complement, not replace, established medical therapies, with a focus on improving the quality of life for those affected by these complex conditions.

**Keywords:** Autoimmune disorders, Natural products, Complementary therapies, Alternative medicine, Autoimmunity, Inflammation, Turmeric, Ginger, Omega-3 fatty acids, Holistic approach.

## Introduction:

Autoimmune disorders are a group of complex and often debilitating conditions in which the immune system, designed to protect the body from external threats, mistakenly turns against its own tissues and organs. These disorders can manifest in various ways, affecting nearly any part of the body, and their symptoms can range from mild discomfort to severe disability. While there is no known cure for autoimmune diseases, there are conventional medical treatments available to manage symptoms and slow down disease progression [1].

In recent years, there has been growing interest in complementary approaches to autoimmune disorder management. Natural products, including herbs, spices, supplements, and dietary modifications, have gained attention for their potential to alleviate symptoms, reduce inflammation, and support the immune system [2]. It's important to note that while these natural products may offer some relief, they should always be used in conjunction with, not as a replacement for, conventional medical treatments.

This article delves into the world of natural products that may have a role to play in combatting autoimmune disorders. We'll explore their potential benefits, their limitations, and the importance of consulting healthcare professionals before incorporating them into your treatment plan. While these natural remedies hold promise, they are most effective when integrated into a comprehensive, individualized approach to managing autoimmune conditions [3].

## Understanding Autoimmune Disorders:

Understanding autoimmune disorders is crucial in order to grasp the context of how natural products can potentially help manage these conditions. Autoimmune disorders are a group of diseases characterized by the immune system's

malfunction, leading it to mistakenly attack healthy cells and tissues within the body. Here's a more detailed explanation of this fundamental concept [4]:

**Immune System Function:** The immune system is a complex network of cells, tissues, and organs designed to protect the body from harmful invaders, such as bacteria, viruses, and other pathogens. Its primary role is to recognize and eliminate these foreign substances.

**Autoimmunity:** In individuals with autoimmune disorders, the immune system loses its ability to distinguish between foreign invaders and the body's own cells and tissues. As a result, it begins to target and attack normal, healthy cells, tissues, and organs [5]. This misguided immune response can lead to inflammation, tissue damage, and various symptoms and health problems.

**Causes:** The exact causes of autoimmune disorders are not fully understood. They likely result from a combination of genetic, environmental, and lifestyle factors. Some autoimmune disorders may have a genetic predisposition, meaning they run in families, while others may be triggered by environmental factors like infections, diet, or stress.

**Common Autoimmune Diseases:** There are more than 80 different autoimmune diseases, each affecting specific organs or systems in the body. Some common examples include rheumatoid arthritis, systemic lupus erythematosus (SLE), multiple sclerosis, type 1 diabetes, and celiac disease.

**Symptoms:** The symptoms of autoimmune disorders can vary widely depending on the affected organs or tissues. Common symptoms may include fatigue, joint pain, skin rashes, fever, and gastrointestinal issues. The severity of symptoms can also fluctuate over time [6].

**Diagnosis:** Diagnosing autoimmune disorders can be challenging because symptoms often overlap with other conditions. Healthcare professionals typically use a combination of medical history, physical exams, blood tests, and imaging studies to diagnose these conditions definitively.

**Treatment:** While there is no cure for autoimmune disorders, various treatment approaches aim to manage symptoms, reduce inflammation, and slow down disease progression. Conventional treatments often involve medications that suppress the immune system's activity, such as corticosteroids, disease-modifying antirheumatic drugs (DMARDs), and biologic therapies [7].

**Complementary and Alternative Therapies:** Many individuals with autoimmune disorders explore complementary and alternative therapies, including natural products, to help manage their condition. These therapies may include dietary changes, herbal remedies, supplements, and lifestyle modifications. It's essential to consult with healthcare professionals before incorporating such treatments to ensure they are safe and effective.

#### **Natural Products for Managing Autoimmune Disorders:**

Natural products have gained attention for their potential to help manage autoimmune disorders by reducing inflammation, modulating the immune system, and alleviating symptoms. While these natural remedies may offer benefits, it's crucial to emphasize that they should be used in conjunction with, not as a substitute for, conventional medical treatments [8]. Always consult with a healthcare professional before incorporating any natural product into your treatment plan. Here are some natural products that have shown promise in managing autoimmune disorders:

#### **Turmeric (Curcumin):**

Curcumin, the active compound in turmeric, has strong anti-inflammatory and antioxidant properties. It may help reduce inflammation and pain associated with autoimmune conditions such as rheumatoid arthritis.

#### **Ginger:**

Ginger contains anti-inflammatory compounds that may help alleviate symptoms like joint pain and inflammation in autoimmune diseases [9].

#### **Omega-3 Fatty Acids:**

Omega-3 fatty acids found in fatty fish like salmon, mackerel, and flaxseeds have anti-inflammatory effects and can help balance the immune response.

#### **Probiotics:**

Probiotics support gut health and may help modulate the immune system, which is closely linked to autoimmune disorders. A healthy gut microbiome can contribute to better overall immune function [10].

#### **Green Tea:**

Green tea is rich in polyphenols, which have antioxidant and anti-inflammatory properties. It may help reduce inflammation and oxidative stress in autoimmune conditions.

**Resveratrol:**

Resveratrol, found in red grapes and berries, has antioxidant and anti-inflammatory effects. It may help protect against inflammation-related damage in autoimmune diseases [11].

**Aloe Vera:**

Aloe vera gel can be applied topically to soothe skin-related symptoms of autoimmune disorders like psoriasis and eczema due to its anti-inflammatory and moisturizing properties.

**Boswellia:**

Boswellia supplements, derived from the resin of the *Boswellia serrata* tree, have anti-inflammatory properties and may be beneficial in managing inflammatory autoimmune conditions like rheumatoid arthritis.

**Cat's Claw (*Uncaria tomentosa*):**

Cat's claw is an herb known for its immune-modulating properties. It may help regulate the immune response in autoimmune disorders [12].

**Adaptogenic Herbs:**

Adaptogens like ashwagandha, rhodiola, and astragalus can support the body's stress response and overall immune health, potentially benefiting autoimmune conditions exacerbated by stress.

**Vitamin D:**

Adequate vitamin D levels are important for immune function. Some individuals with autoimmune disorders have vitamin D deficiencies, so supplementation or safe sun exposure may be beneficial [13].

**Glucosamine and Chondroitin:**

These natural supplements are often used for joint health and may provide relief from joint pain and inflammation in conditions like osteoarthritis and rheumatoid arthritis.

**Curcumin-Piperine Combination:**

Piperine, found in black pepper, can enhance the absorption of curcumin. Combining curcumin with piperine may increase its effectiveness [14].

**Mushrooms:**

Certain mushrooms, such as Reishi, Shiitake, and Turkey Tail, contain bioactive compounds that may modulate the immune system and have potential benefits for autoimmune disorders.

**Bromelain:**

Bromelain, an enzyme found in pineapple, has anti-inflammatory properties and may help reduce inflammation and pain associated with autoimmune conditions [15].

**Limitations of Natural Products:**

The use of natural products in the management of autoimmune disorders can be appealing due to their perceived safety and potential benefits. However, it's crucial to recognize and understand their limitations to make informed decisions about their use. Here are some key limitations associated with natural products [16]:

**Lack of Scientific Evidence:** Many natural products lack rigorous scientific research to support their effectiveness in treating autoimmune disorders. While some may have promising preliminary findings, more extensive and well-designed studies are often needed to establish their true therapeutic value.

**Individual Variation:** Responses to natural products can vary significantly from person to person. What works for one individual may not work for another, and some natural products may even exacerbate symptoms or interact with medications [17].

**Not a Substitute for Conventional Treatment:** Natural products should not be viewed as a replacement for conventional medical treatments. Autoimmune disorders often require medications that help manage symptoms and prevent disease progression. Relying solely on natural products may lead to uncontrolled inflammation and worsening of the condition.

**Safety Concerns:** Natural products can have side effects, interactions with medications, and potential risks. It's important to consult with a healthcare professional before using them, especially if you have underlying health conditions or are taking other medications.

**Regulation and Quality Control:** Natural products, such as herbal supplements, are not as tightly regulated as pharmaceutical drugs. This can lead to variations in product quality and purity, making it challenging for consumers to know exactly what they are getting [18].

**Delayed Treatment:** Relying exclusively on natural products without conventional medical oversight may lead to delayed or inadequate treatment of autoimmune disorders. Some conditions require timely and aggressive medical intervention to prevent long-term damage.

**Limited Scope:** While natural products may help alleviate symptoms or reduce inflammation in some cases, they often have a limited scope of action. They may not address the underlying immune dysfunction that drives autoimmune diseases [19].

**Interactions with Medications:** Natural products can interact with medications used to treat autoimmune disorders. These interactions may reduce the effectiveness of prescribed drugs or lead to unforeseen side effects [20].

**Psychological Impact:** The emotional toll of living with an autoimmune disorder can be significant. Relying solely on natural products without the guidance of healthcare professionals may lead to feelings of frustration and disappointment if expected benefits are not realized.

**Cost:** Some natural products, especially high-quality supplements or specialized diets, can be expensive. This cost may not be sustainable for everyone.

## Conclusion:

In the realm of managing autoimmune disorders, the exploration of natural products offers a promising avenue for alleviating symptoms, reducing inflammation, and enhancing overall well-being [21]. These natural remedies, rich in anti-inflammatory, antioxidant, and immunomodulatory properties, can complement conventional medical treatments. However, it's vital to approach their use with a thorough understanding of their limitations and a commitment to seeking medical guidance.

Autoimmune disorders, characterized by an immune system gone awry, pose complex challenges that often necessitate conventional medical interventions. Medications and therapies prescribed by healthcare professionals remain essential for controlling these conditions and preventing further damage. Natural products should be viewed as supplementary tools in the broader toolkit of autoimmune disease management [22].

Turmeric, with its potent curcumin compound, stands as a prime example of a natural product that demonstrates substantial potential for managing autoimmune disorders. Its anti-inflammatory and antioxidant properties may help soothe symptoms and modulate the immune response, offering relief to individuals grappling with conditions like rheumatoid arthritis, lupus, and inflammatory bowel disease.

Moreover, ginger, omega-3 fatty acids, probiotics, and green tea represent additional natural products that merit consideration [23]. Their anti-inflammatory attributes, coupled with their potential to support immune system balance, can contribute to better disease management.

Resveratrol, aloe vera, boswellia, cat's claw, and adaptogenic herbs further expand the arsenal of natural remedies. These substances offer alternative paths toward reducing inflammation, mitigating symptoms, and enhancing overall immune health in individuals with autoimmune disorders [24].

It is paramount to recognize the importance of individual variation in response to natural products. What may be effective for one person may not yield the same results for another. As such, consultation with healthcare professionals remains imperative to ensure the safety, appropriateness, and effectiveness of these remedies within the context of each unique case [25].

In conclusion, while natural products hold promise in the management of autoimmune disorders, they should be integrated judiciously and as part of a comprehensive, patient-centered approach to care. The combined expertise of healthcare providers, coupled with the potential benefits of natural products, offers hope to those navigating the

complex landscape of autoimmune diseases. The journey toward improved health and well-being is best undertaken with guidance, knowledge, and a commitment to holistic care [26].

### Acknowledgements:

Authors are thankful to V. V. Institute of Pharmaceutical Sciences, Gudlavalleru, India for providing necessary facilities.

### Conflict of Interest:

Authors have no Conflict of Interest.

### References:

1. Du Montcel S.T., Michou L., Petit-Teixeira E., Osorio J., Lemaire I., Lasbleiz S., Pierlot C., Quillet P., Bardin T., Prum B., et al. New classification of HLA-DRB1 alleles supports the shared epitope hypothesis of rheumatoid arthritis susceptibility. *Arthritis Rheumatol.* 2005;52:1063-1068. doi: 10.1002/art.20989.
2. Fugger L., Svejgaard A. Association of MHC and rheumatoid arthritis. HLA-DR4 and rheumatoid arthritis: Studies in mice and men. *Arthritis Res.* 2000;2:208-211. doi: 10.1186/ar89.
3. Makrygiannakis D., Hermansson M., Ulfgren A.K., Nicholas A.P., Zendman A.J., Eklund A., Grunewald J., Skold C.M., Klareskog L., Catrina A.I. Smoking increases peptidylarginine deiminase 2 enzyme expression in human lungs and increases citrullination in BAL cells. *Ann. Rheum. Dis.* 2008;67:1488-1492. doi: 10.1136/ard.2007.075192.
4. Snir O., Widhe M., von Spee C., Lindberg J., Padyukov L., Lundberg K., Engstrom A., Venables P.J., Lundeberg J., Holmdahl R., et al. Multiple antibody reactivities to citrullinated antigens in sera from patients with rheumatoid arthritis: Association with HLA-DRB1 alleles. *Ann. Rheum. Dis.* 2009;68:736-743. doi: 10.1136/ard.2008.091355.
5. Van der Helm-van Mil A.H., Verpoort K.N., Breedveld F.C., Huizinga T.W., Toes R.E., de Vries R.R. The HLA-DRB1 shared epitope alleles are primarily a risk factor for anti-cyclic citrullinated peptide antibodies and are not an independent risk factor for development of rheumatoid arthritis. *Arthritis Rheumatol.* 2006;54:1117-1121. doi: 10.1002/art.21739.
6. Alamanos Y., Drosos A.A. Epidemiology of adult rheumatoid arthritis. *Autoimmun. Rev.* 2005;4:130-136. doi: 10.1016/j.autrev.2004.09.002.
7. Crowson C.S., Matteson E.L., Myasoedova E., Michet C.J., Ernste F.C., Warrington K.J., Davis J.M., III, Hunder G.G., Thorneau T.M., Gabriel S.E. The lifetime risk of adult-onset rheumatoid arthritis and other inflammatory autoimmune rheumatic diseases. *Arthritis Rheumatol.* 2011;63:633-639. doi: 10.1002/art.30155.
8. Helmick C.G., Felson D.T., Lawrence R.C., Gabriel S., Hirsch R., Kwoh C.K., Liang M.H., Kremers H.M., Mayes M.D., Merkel P.A., et al. Estimates of the prevalence of arthritis and other rheumatic conditions in the United States. Part I. *Arthritis Rheumatol.* 2008;58:15-25. doi: 10.1002/art.23177.
9. Silman A.J., Pearson J.E. Epidemiology and genetics of rheumatoid arthritis. *Arthritis Res.* 2002;4:S265-S272. doi: 10.1186/ar578.
10. Symmons D., Turner G., Webb R., Asten P., Barrett E., Lunt M., Scott D., Silman A. The prevalence of rheumatoid arthritis in the United Kingdom: New estimates for a new century. *Rheumatology.* 2002;41:793-800. doi: 10.1093/rheumatology/41.7.793.
11. Hootman J.M., Helmick C.G., Barbour K.E., Theis K.A., Boring M.A. Updated projected prevalence of self-reported doctor-diagnosed arthritis and arthritis-attributable activity limitation among US adults, 2015-2040. *Arthritis Rheumatol.* 2016;68:1582-1587. doi: 10.1002/art.39692.
12. Horiuchi A.C., Pereira L.H.C., Kahlow B.S., Silva M.B., Skare T.L. Rheumatoid arthritis in elderly and young patients. *Rev. Bras. Reumatol.* 2017;57:491-494. doi: 10.1016/j.rbr.2015.06.005.
13. Kato E., Sawada T., Tahara K., Hayashi H., Tago M., Mori H., Nishino J., Matsui T., Tohma S. The age at onset of rheumatoid arthritis is increasing in Japan: A nationwide database study. *Int. J. Rheum. Dis.* 2017;20:839-845. doi: 10.1111/1756-185X.12998.
14. Kobak S., Bes C. An autumn tale: Geriatric rheumatoid arthritis. *Ther. Adv. Musculoskelet. Dis.* 2018;10:3-11. doi: 10.1177/1759720X17740075.
15. Harris E.D., Jr. Rheumatoid arthritis. Pathophysiology and implications for therapy. *N. Engl. J. Med.* 1990;322:1277-1289.
16. McInnes I.B., Schett G. The pathogenesis of rheumatoid arthritis. *N. Engl. J. Med.* 2011;365:2205-2219. doi: 10.1056/NEJMra1004965.
17. Yanni G., Whelan A., Feighery C., Bresnihan B. Synovial tissue macrophages and joint erosion in rheumatoid arthritis. *Ann. Rheum. Dis.* 1994;53:39-44. doi: 10.1136/ard.53.1.39.
18. Morco S., Bowden A. Ulnar drift in rheumatoid arthritis: A review of biomechanical etiology. *J. Biomech.* 2015;48:725-728. doi: 10.1016/j.jbiomech.2014.12.052.
19. Eberhardt K., Johnson P.M., Rydgren L. The occurrence and significance of hand deformities in early rheumatoid arthritis. *Br. J. Rheumatol.* 1991;30:211-213. doi: 10.1093/rheumatology/30.3.211.
20. Palmer D.G., Hogg N., Highton J., Hessian P.A., Denholm I. Macrophage migration and maturation within rheumatoid nodules. *Arthritis Rheumatol.* 1987;30:728-736. doi: 10.1002/art.1780300702.

21. Sayah A., English J.C., III Rheumatoid arthritis: A review of the cutaneous manifestations. *J. Am. Acad. Dermatol.* 2005;53:191-209. doi: 10.1016/j.jaad.2004.07.023.
22. Gavrilă B.I., Ciofu C., Stoica V. Biomarkers in Rheumatoid Arthritis, what is new? *J. Med. Life.* 2016;9:144-148.
23. Deane K.D., Norris J.M., Holers V.M. Preclinical rheumatoid arthritis: Identification, evaluation, and future directions for investigation. *Rheum. Dis. Clin. N. Am.* 2010;36:213-241. doi: 10.1016/j.rdc.2010.02.001.
24. Chun-Lai T., Murad S., Erlandsson M.C., Hussein H., Sulaiman W., Dhaliwal J.S., Bokarewa M.I. Recognizing rheumatoid arthritis: Oncoprotein survivin opens new possibilities: A population-based case-control study. *Medicine.* 2015;94:e468. doi: 10.1097/MD.0000000000000468.
25. Lohr J., Knoechel B., Nagabhushanam V., Abbas A.K. T-cell tolerance and autoimmunity to systemic and tissue-restricted self-antigens. *Immunol. Rev.* 2005;204:116-127. doi: 10.1111/j.0105-2896.2005.00241.x.
26. Ring G.H., Lakkis F.G. Breakdown of self-tolerance and the pathogenesis of autoimmunity. *Semin. Nephrol.* 1999;19:25-33.